

Amendments to the Claims

This listing of claims will replace all prior versions of claims in the present application.

LISTING OF CLAIMS:

1.-7. (Canceled)

8. (Currently Amended) A communication device comprising:

according to Claim 6, wherein:

means for receiving a request command from a user that requests transmission of contents;

means for temporarily storing data;

content storage means composed of nonvolatile memory; and

a processor receives said transmitted contents in a first transmitted message and in a separately transmitted second message, said first transmitted message comprising a file that includes storage control information associated with said contents, and said second transmitted message comprising a software program associated with said contents;

said processor, in response to receipt of said contents writes said contents only in said means for temporarily storing data when said storage control information is indicative that said contents are for trial use and should be stored temporarily, or writes said contents in said content storage means when said

storage control information is indicative that said contents should remain stored in said communication device;

said processor, after said contents are stored in said means for temporarily storing data, processes or executes said contents automatically for trial use, absent receipt of any command initiated by a user;

said processor, in accordance with said storage control information associated with said contents being indicative that said contents should remain stored in said communication device, and in response to receipt of a store command initiated by said user with said means for receiving a request command from a user, reads said contents from said means for temporarily storing data, and writes said contents in said content storage means; and

said processor determines whether a size of a free space of said content storage means is equal to, or greater than, a data size of said contents stored in said means for temporarily storing data; and

in response to said size of said free space of said content storage means being equal to, or greater than, said data size of said contents stored in said means for temporarily storing data, said processor writes said contents processed or executed by said processor in said content storage means after reading said contents from said means for temporarily storing data.

9. (Previously Presented) A communication device according to Claim 8, wherein:

in response to said size of said free space of said content storage means being smaller than said data size of said contents stored in said means for temporarily storing data, said processor prompts a user to delete one or more other contents stored in said content storage means; and

when, in response to said prompt, a command is received via said means for receiving a request command from a user to delete said one or more other contents stored in said content storage means, said processor determines if, after deletion of said one or more other contents, said free space of said content storage means will be equal to, or greater than, said data size of said contents, and said processor provides indication thereof to the user.

10. (Currently Amended) ~~The communication device of claim 6, wherein~~

A communication device comprising:

means for receiving a request command from a user that requests
transmission of contents;

means for temporarily storing data;

content storage means composed of nonvolatile memory; and

a processor receives said transmitted contents in a first transmitted
message and in a separately transmitted second message, said first transmitted
message comprising a file that includes storage control information associated with

said contents, and said second transmitted message comprising a software program associated with said contents;

said processor, in response to receipt of said contents writes said contents only in said means for temporarily storing data when said storage control information is indicative that said contents are for trial use and should be stored temporarily, or writes said contents in said content storage means when said storage control information is indicative that said contents should remain stored in said communication device;

said processor, after said contents are stored in said means for temporarily storing data, processes or executes said contents automatically for trial use, absent receipt of any command initiated by a user;

said processor, in accordance with said storage control information associated with said contents being indicative that said contents should remain stored in said communication device, and in response to receipt of a store command initiated by said user with said means for receiving a request command from a user, reads said contents from said means for temporarily storing data, and writes said contents in said content storage means; and

said processor deletes said contents that were stored in said means for temporarily storing data when said processor exits said contents that were being processed or executed by said processor.

11. – 15. (Canceled)

16. (Currently Amended) ~~The communication device of Claim 15, wherein~~

A communication device comprising:

a memory that includes a first storage area configured for temporary storage of data, and a second storage area configured for longer term storage of data;

a processor in communication with the memory wherein the processor receives content from a wireless network, the content comprising a first message that includes storage control information indicating whether the content is for trial use, and a second message that includes a software program, the first message received in advance of the second message;

the processor determines if the received content is for trial use based on the storage control information;

the processor, in response to determination by the processor that the content is for trial use, temporarily stores the content in the first storage area, and automatically processes or executes the temporarily stored content;

the processor, in response to determination by the processor that the content is not for trial use, stores the content in the second storage area, and awaits receipt of a command manually initiated by a user to process or execute the content; and

the processor stores the temporarily stored content in the second storage area in response to indication in the storage control information that the temporarily stored content is storable in the second storage area and a user command, received

from an operation input unit, that directs storage of the temporarily stored content;

and

the processor exits and automatically deletes the temporarily stored content in response to receipt of a user command to cease execution or processing of the temporarily stored content in the absence of an indication in the storage control information that the temporarily stored content is eligible for storage in the second storage area.

17. (Canceled)

18. (Currently Amended) ~~The communication device of Claim 15,~~

A communication device comprising:

a memory that includes a first storage area configured for temporary storage of data, and a second storage area configured for longer term storage of data;

a processor in communication with the memory wherein the processor receives content from a wireless network, the content comprising a first message that includes storage control information indicating whether the content is for trial use, and a second message that includes a software program, the first message received in advance of the second message;

the processor determines if the received content is for trial use based on the storage control information;

the processor, in response to determination by the processor that the content is for trial use, temporarily stores the content in the first storage area, and automatically processes or executes the temporarily stored content;

the processor, in response to determination by the processor that the content is not for trial use, stores the content in the second storage area, and awaits receipt of a command manually initiated by a user to process or execute the content;

the processor stores the temporarily stored content in the second storage area in response to indication in the storage control information that the temporarily stored content is storable in the second storage area and a user command, received from an operation input unit, that directs storage of the temporarily stored content;
and

the first storage area is a cache area of the memory, and the processor deletes data from the second storage area only in response to receipt of a user command to delete from the second storage area.

19. – 32. (Canceled)

33. (Previously Presented) The communication device of claim 16, wherein said processor, prior to exit and automatic deletion of said temporarily stored content, prompts said user to store said content in said second storage area only in

response to an indication in said content storage information that said content is indicated as storable long term in said communication device.

34. - 35. (Canceled)

36. (Currently Amended) ~~The computer readable storage medium of Claim 11, wherein~~

A computer readable storage medium storing a program executed by a computer having means for receiving a command manually input by a user, means for temporarily storing contents, and content storage means composed of nonvolatile memory, said computer readable storage medium comprising:

code executed as a receiving process to receive contents comprising a first message and a second message, said first message including storage control information of said contents, and said second message being separately transmitted and including a plurality of files;

code executed as a first writing process to write said contents only in said means for temporarily storing content when said contents are received in said receiving process and said storage control information indicates that said contents are for trial use and should be stored temporarily;

code executed as a content using process to process or execute said contents automatically on a trial basis, absent receipt of a command initiated by a

user, after said contents are written in said means for temporarily storing content in said first writing process; and

code executed as a second writing process to read said contents from said means for temporarily storing content and write said contents in said content storage means, wherein said second writing process is only executed in response to an indication included in said storage control information that said contents are storable in said content storage means, and a store command received from said means for receiving a command manually input by a user, said store command being a command manually input by said user to direct storage of said contents that have been processed or executed in said content using process; and

said second writing process is further executed to await receipt of said store command from said user of said communication device before being executed to write said contents in said content storage means after said contents are read from said means for temporarily storing content.

37. – 42. (Canceled)